



Silicon Carbide Schottky Diode

Á

Features

- ÁÚ [• äcäç^Äc^ {] ^!æc~!^Ä& [^--ä&ä^ } cÄ
- ÁV^ {] ^!æc~!^Ää } ä^] ^ } ä^ } cÄ • äc&@ä } *Ä
- ÁTæcä { ~ { Ä , [!\ä } *Äc^ {] ^!æc~!^ÄæcÄÍ Í Ä» ÖÄ



YJD112020NCTQG2


Electrical Characteristics

PARAMTETER	SYMBOL	UNIT	TEST CONDITIONS	Typ.	Max.
------------	--------	------	-----------------	------	------

ÁGÁDÁ T Á



Typical Characteristics



∅i*~!^ÁÌÉÁV:æ}•i^}cÁV@^; {æ|ÁQ {]^ãæ}&^Á



Outline Dimensions

Á

TO-247AB		
Öä { Á	T ä } Á	T æ ç Á
œ Á	l È ì € Á	í È ç € Á
œ F Á		



Disclaimer

V@^há}-[! { æcä [}Á]!^•^}c^áhá}Ac@i•há [& ~ { ^}cÁá•Á-[!Á!^-^!^}&^Á[]|^ÉÁÿæ}* :@[~Áÿæ} *bá^ÁÖ|^&c! []i&Á