




# DTA123ECA

RoHS

COMPLIANT

## PNP Digital Transistors (Built-in Resistors)



### Features

- 
- 
- 

### Application

- 
- 

### Mechanical data

- Package
- Terminals

### Maximum Ratings

Item	Symbol	Unit	Conditions	
	$V_{IN}$	V		-1 \$ to Ž )
Output current	$I_O$	mA		-1 \$ \$
Power dissipation	$P_D$	mK		2 \$ \$
> unction temperature	$T_{jmax}$			



# DTA123ECA

## Electrical Characteristics

Item	Symbol	Unit	Conditions	Min	Typ	Max

## Thermal Characteristics

Parameter	Symbol	Unit	Value





## Ordering Information

Preferred P/N	Packing code	Unit weight(g)	Minimum package(pcs)	Inner box quantity(pcs)	Outer carton quantity(pcs)	Delivery mode



# DTA123ECA

## Characteristics





# DTA123ECA

## Outline Dimensions



### Note:

1. All dimensions are in millimeters (mm) unless otherwise specified.

[所有尺寸均以毫米为单位，除非另有说明]

2. General tolerances:  $\pm 0.10\text{mm}$  unless otherwise specified.

[通用公差为  $\pm 0.10\text{mm}$ ，除非另有说明]

3. Dimensions and tolerances per ASME Y14.5M-2018.

[尺寸和公差遵循 ASME Y14.5M-2018 标准]

Dimensional tolerances shall not exceed  $0.15\text{mm}$  in maximum.

[所有尺寸均不包括毛刺和浇口残留，毛刺与浇口残留的尺寸最大不得超过  $0.15\text{mm}$ ]

Dimensional tolerances do not include burr protrusion or maximum  $0.10\text{mm}$  per side.

Dimensional tolerances do not include burr protrusion or maximum  $0.10\text{mm}$  per side. Dimensional tolerances do not include mold flash, lead flash, protrusions and burrs but include the maximum allowable mold mismatch.

[D和E是密封体的外部极限尺寸，不包括包封溢料、引线溢料、凸出部分以及胶体毛刺，但是包含了包封错位的最大尺寸]

Dimensional tolerances do not include burr protrusion or maximum  $0.10\text{mm}$  per side. Dimensional tolerances do not include mold flash, lead flash, protrusions and burrs but include the maximum allowable mold mismatch.

Dimensional tolerances do not include burr protrusion or maximum  $0.10\text{mm}$  per side. Dimensional tolerances do not include mold flash, lead flash, protrusions and burrs but include the maximum allowable mold mismatch.

Dimensional tolerances do not include burr protrusion or maximum  $0.10\text{mm}$  per side. Dimensional tolerances do not include mold flash, lead flash, protrusions and burrs but include the maximum allowable mold mismatch.

★ 标记为关键尺寸]



# DTA123ECA

---

Disclaimer

---